

**Part no. AL-1052-18612**



12-24 V, white, for use in the cab of vehicles or self-propelled work machines (e.g. forklift trucks)

## Specifications

<b>Voltage range (V), nominal</b>	12-24
<b>Voltage range (V), functional</b>	
<b>Power consumption (W)</b>	1.2
<b>Load capacity</b>	
<b>Temperature range (°C)</b>	-40 to 65
<b>Brightness</b>	
<b>Brightness (raw lm)</b>	
<b>Brightness (effective lm)</b>	
<b>Brightness (cd)</b>	
<b>Brightness (lx)</b>	
<b>Performance class</b>	
<b>Beam pattern/lens</b>	Innenraumbeleuchtung
<b>Beam angle [°]</b>	
<b>Colour Temperature (K)</b>	5000
<b>Others</b>	
<b>Ingress protection</b>	IP67
<b>Resistivity</b>	
<b>Standards</b>	
<b>Electromagnetic Compatibility</b>	
<b>Transient spike protection</b>	

**Part no. AL-1052-18612**

## Dimensions

## Mounting

<b>Mounting type</b>	Built-in
<b>Installation dimensions/diameter [mm]</b>	
<b>Installation depth [mm]</b>	
<b>Connector</b>	Deutsch plug (DT04-2P)
<b>Mating connector</b>	Deutsch plug (DT06-2S)
<b>Reverse polarity protection</b>	1
<b>Black wire</b>	Masse
<b>Red wire</b>	Innenleuchte

**Part no. AL-1052-18612**

## Others

Material (Housing)	Polycarbonat
Material (Diffusing lens)	Polycarbonat
Color (Housing)	Silber
Color (Mount)	
Color (Diffusing lens)	Weiß

## Beam pattern

## Variants

AL-1052-18612	12-24 V, weiß, für den Einsatz im Fahrerhaus von Fahrzeugen bzw. selbstfahrenden Arbeitsmaschinen (z. B. Gabelstapler)
---------------	--

## Accessories