LED-Leuchtstreifen-Serie EW0100

Part no. AL-1983-12211

24 V, 6 in. (15 cm), 9 LEDs, 200 lm

Specifications

Voltage range (V), nominal	24
Voltage range (V), functional	18-32
Power consumption (W)	3.12
Load capacity	
Temperature range (°C)	-30 to 50
Brightness	
Brightness (raw lm)	224
Brightness (effective lm)	215
Brightness (cd)	
Brightness (lx)	
Performance class	
Beam pattern/lens	
Beam angle [°]	
Colour Temperature (K)	
Others	
Ingress protection	
Resistivity	
Standards	
Electromagnetic Compatibility	
Transient spike protection	

Bei der Pulvermühle 7a | 22453 Hamburg
+49 40 303300-0 | info@jfuehr.com | www.jfuehr.com

J. FÜHR

Part no. AL-1983-12211

Dimensions

Mounting

Mounting type	
Installation dimensions/diameter [mm]	
Installation depth [mm]	
Connector	Bare wire leads
Mating connector	
Reverse polarity protection	1
Black wire	Masse
Red wire	Innenleuchte

Bei der Pulvermühle 7a | 22453 Hamburg
+49 40 303300-0 | info@jfuehr.com | www.jfuehr.com

J.FÜHR

Part no. AL-1983-12211

Others

Material (Housing)	Silikon
Material (Diffusing lens)	
Color (Housing)	
Color (Mount)	
Color (Diffusing lens)	

Beam pattern

Variants

AL-1983-12211	24 V, 6 Zoll (15 cm), 9 LEDs, 200 lm

Accessories

ZU-1998-04210	Bewegungssensor EW0400 für div. Innenleuchten

Bei der Pulvermühle 7a | 22453 Hamburg
+49 40 303300-0 | info@jfuehr.com | www.jfuehr.com

J.FÜHR