

Part no. AL-2063-06211

12-24 V, 45 cm (18 in.), 2000 lm



Specifications

Voltage range (V), nominal	12-24
Voltage range (V), functional	9-32
Power consumption (W)	13,2
Load capacity	
Temperature range (°C)	-30 bis 50
Brightness	
Brightness (raw lm)	1440
Brightness (effective lm)	1380
Brightness (cd)	
Brightness (lx)	
Performance class	
Beam pattern/lens	
Beam angle [°]	
Colour Temperature (K)	6440
Others	
Ingress protection	
Resistivity	

Dimensions

Mounting

Mounting type	Flachmontage
Installation dimensions/diameter [mm]	
Installation depth [mm]	
Connector	Kabel
Mating connector	
Reverse polarity protection	1
Black wire	Masse
Red wire	Innenleuchte
Blue wire	Türkontakt

Part no. AL-2063-06211

Others

Material (Housing)	Aluminium
Material (Diffusing lens)	Acryl
Color (Housing)	Grau
Color (Mount)	
Color (Diffusing lens)	Weiß

Variants

AL-2063-06211	12-24 V, 45 cm (18 Zoll), 2000 lm
AL-2064-06211	12-24 V, 63,5 cm (25 Zoll), 3700 lm
AL-2065-06211	12-24 V, 84 cm (33 Zoll), 4900 lm

Accessories

ZU-1998-04210	Bewegungssensor EW0400 für div. Innenleuchten
----------------------	---