

Part no. AL-2066-07211



12-24 V, 33 cm (13 in.), 400 lm, pivoting

Specifications

Voltage range (V), nominal	12-24
Voltage range (V), functional	9-32
Power consumption (W)	5,76
Load capacity	
Temperature range (°C)	-30 bis 50
Brightness	
Brightness (raw lm)	378
Brightness (effective lm)	366
Brightness (cd)	
Brightness (lx)	
Performance class	
Beam pattern/lens	
Beam angle [°]	
Colour Temperature (K)	6900
Others	
Ingress protection	
Resistivity	

Dimensions

Mounting

Mounting type	Flachmontage
Installation dimensions/diameter [mm]	
Installation depth [mm]	
Connector	Kabel
Mating connector	
Reverse polarity protection	0
Black wire	Masse
Red wire	Innenleuchte
Blue wire	Türkontakt

Part no. AL-2066-07211

Others

Material (Housing)	Aluminium
Material (Diffusing lens)	Acryl
Color (Housing)	Silber
Color (Mount)	
Color (Diffusing lens)	Weiß

Variants

AL-2066-07211	12-24 V, 33 cm (13 Zoll), 400 lm, drehbar
AL-2067-07211	12-24 V, 54,5 cm (21,5 Zoll), 1250 lm, drehbar

Accessories

ZU-1998-04210	Bewegungssensor EW0400 für div. Innenleuchten
----------------------	---