

LED-Nebelscheinwerfer Modell 6045 Mk II

Part no. FS-1612-60331




12 V, ECE road approval (Reg. 19), black bezel

Specifications

Voltage range (V), nominal	12
Voltage range (V), functional	9-18
Power consumption (W)	9
Load capacity	
Temperature range (°C)	-40 to 65
Brightness	
Brightness (raw lm)	750
Brightness (effective lm)	500
Brightness (cd)	
Brightness (lx)	
Performance class	
Beam pattern/lens	Nebellicht
Beam angle [°]	
Colour Temperature (K)	5000
Others	
Ingress protection	IP67
Resistivity	

Dimensions



Mounting

Mounting type	Built-in
Installation dimensions/diameter [mm]	97
Installation depth [mm]	
Connector	Delphi MP280-2M (12059450-B)
Mating connector	Delphi MP280-2F (12124819)
Reverse polarity protection	1
Black wire	Masse
Red wire	Nebelscheinwerfer

LED-Nebelscheinwerfer Modell 6045 Mk II

Part no. FS-1612-60331

Others

Material (Housing)	Aluminium
Material (Diffusing lens)	Polycarbonat
Color (Housing)	Schwarz
Color (Mount)	Schwarz
Color (Diffusing lens)	Klar

Variants

FS-1612-60331	12 V, ECE-Straßenzulassung (Reg. 19), schwarze Einfassung
FS-1613-60332	12 V, ECE-Straßenzulassung (Reg. 19), verchromte Einfassung

Accessories