

**Part no. FS-2145-00351**




12 V, cornering light

## Specifications

<b>Voltage range (V), nominal</b>	12
<b>Voltage range (V), functional</b>	10-16
<b>Power consumption (W)</b>	18
<b>Load capacity</b>	
<b>Temperature range (°C)</b>	-40 to 65
<b>Brightness</b>	
<b>Brightness (raw lm)</b>	2080
<b>Brightness (effective lm)</b>	725
<b>Brightness (cd)</b>	10200
<b>Brightness (lx)</b>	
<b>Performance class</b>	
<b>Beam pattern/lens</b>	
<b>Beam angle [°]</b>	
<b>Colour Temperature (K)</b>	5700
<b>Others</b>	
<b>Ingress protection</b>	IP67 & IP69K
<b>Resistivity</b>	

Part no. FS-2145-00351

## Dimensions



## Mounting

Mounting type	Spec. mounting bracket
Installation dimensions/diameter [mm]	
Installation depth [mm]	
Connector	
Mating connector	AE MX19A003S51 3 Pos
Reverse polarity protection	1
Black wire	Masse
Red wire	Kuvenlicht

### Others

<b>Material (Housing)</b>	Aluminium
<b>Material (Diffusing lens)</b>	Polycarbonat
<b>Color (Housing)</b>	Schwarz
<b>Color (Mount)</b>	
<b>Color (Diffusing lens)</b>	Klar

### Variants

<b>FS-2143-00361</b>	12-24 V, Tagfahrlich und Blinker
<b>FS-2144-00331</b>	12 V, Nebelscheinwerfer
<b>FS-2145-00351</b>	12 V, Kurvenlicht
<b>FS-2150-00331</b>	24 V, Nebelscheinwerfer
<b>FS-2151-00351</b>	24 V, Kurvenlicht
<b>FS-2152-00311</b>	24 V, Abblendlicht, symmetrisch
<b>FS-2154-00321</b>	24 V, Fernlicht, mit Standlicht, ECE-Straßenzulassung (Reg. 112)

### Accessories

<b>ZU-2264-92391</b>	Montagehalter 92 für Modell 92 Mosaic, Aufbau-Montage
<b>FS-2149-00321</b>	LED-Fahrscheinwerfer Modell 92 Mosaic 12 V, Fernlicht, mit Standlicht, ECE-Straßenzulassung (Reg. 113)
<b>FS-2148-00321</b>	Modell 92 Mosaic 12 V, Fernlicht, mit Standlicht, ECE-Straßenzulassung (Reg. 112)
<b>FS-2147-00321</b>	Modell 92 Mosaic 12 V, Fernlicht, mit Tagfahrlicht, DOT/SAE
<b>FS-2146-00311</b>	Modell 92 Mosaic 12 V, Abblendlicht, symmetrisch, ECE-Straßenzulassung (Reg. 149)
<b>FS-2144-00331</b>	Modell 92 Mosaic 12 V, Nebelscheinwerfer
<b>ZU-2156-00391</b>	Montagehalter 92 für Modell 92 Mosaic, Einbau-Montage, flache Ausführung
<b>FS-2150-00331</b>	Modell 92 Mosaic 24 V, Nebelscheinwerfer
<b>FS-2143-00361</b>	Modell 92 Mosaic 12-24 V, Tagfahrlich und Blinker