

Part no. **RM-102-10202**



2.5x5 cm (1x2 in.), 1 in. ball (size B) - RAM-B-202U-12

Specifications

| | |
|-------------------------------|--|
| Voltage range (V), nominal | |
| Voltage range (V), functional | |
| Power consumption (W) | |
| Load capacity | |
| Temperature range (°C) | |
| Brightness | |
| Brightness (raw lm) | |
| Brightness (effective lm) | |
| Brightness (cd) | |
| Brightness (lx) | |
| Performance class | |
| Beam pattern/lens | |
| Beam angle [°] | |
| Colour Temperature (K) | |
| Others | |
| Ingress protection | |
| Resistivity | |

Dimensions

Mounting

| | |
|---------------------------------------|---|
| Mounting type | |
| Installation dimensions/diameter [mm] | |
| Installation depth [mm] | |
| Connector | |
| Mating connector | |
| Reverse polarity protection | 0 |

Part no. RM-102-10202

Others

| | |
|---------------------------|--|
| Material (Housing) | |
| Material (Diffusing lens) | |
| Color (Housing) | |
| Color (Mount) | |
| Color (Diffusing lens) | |

Variants

| | |
|--------------|---|
| RM-102-10202 | 2,5x5 cm (1x2 Zoll), 1-Zoll-Kugel (Größe B) RAM-B-202U-12 |
| RM-121-10347 | 5x4,3 cm (2x1,7 Zoll), 1-Zoll-Kugel (Größe B) RAM-B-347U |

Accessories

| | |
|--------------|---|
| RM-501-10201 | Verbindungsstück, 1 Zoll 7,6 cm (3 Zoll), für 1-Zoll-Kugel (Größe B) RAM-B-201U |
|--------------|---|