

Part no. RM-108-15202



3.8x6.3 cm (1.5x2.5 in.), 1.5 in. ball (size C) -
RAM-202U-1525

Specifications

Voltage range (V), nominal	
Voltage range (V), functional	
Power consumption (W)	
Load capacity	
Temperature range (°C)	
Brightness	
Brightness (raw lm)	
Brightness (effective lm)	
Brightness (cd)	
Brightness (lx)	
Performance class	
Beam pattern/lens	
Beam angle [°]	
Colour Temperature (K)	
Others	
Ingress protection	
Resistivity	

Dimensions

Mounting

Mounting type	
Installation dimensions/diameter [mm]	
Installation depth [mm]	
Connector	
Mating connector	
Reverse polarity protection	0

Part no. RM-108-15202

Others

Material (Housing)	
Material (Diffusing lens)	
Color (Housing)	
Color (Mount)	
Color (Diffusing lens)	

Variants

RM-108-15202	3,8x6,3 cm (1,5x2,5 Zoll), 1,5-Zoll-Kugel (Größe C) RAM-202U-1525
RM-120-15347	5x4,3 cm (2x1,7 Zoll), 1,5-Zoll-Kugel (Größe C) RAM-347U
RM-124-15202	5x5 cm (2x2 Zoll), 1,5-Zoll-Kugel (Größe C) RAM-202U-22
RM-162-15202	2,54x5,08 mm (1x2 Zoll), 1,5-Zoll-Kugel (Größe C)

Accessories