# Schienen-Basis, 1 Zoll

**Part no. RM-328-10383**

track dimensional range 0.64-1.42 cm, 1 in. ball (size B) - RAP-B-383U

## Specifications

| | |
|---|---|
| **Voltage range (V), nominal** | |
| **Voltage range (V), functional** | |
| **Power consumption (W)** | |
| **Load capacity** | |
| **Temperature range (°C)** | |
| **Brightness** | |
| **Brightness (raw lm)** | |
| **Brightness (effective lm)** | |
| **Brightness (cd)** | |
| **Brightness (lx)** | |
| **Performance class** | |
| **Beam pattern/lens** | |
| **Beam angle [°]** | |
| **Colour Temperature (K)** | |
| **Others** | |
| **Ingress protection** | |
| **Resistivity** | |



Bei der Pulvermühle 7a | 22453 Hamburg
+49 40 303300-0 | info@jfuehr.com | www.jfuehr.com

J.FÜHR

**Part no.** **RM-328-10383**

## Dimensions

## Mounting

| | |
|---|---|
| **Mounting type** | |
| **Installation dimensions/diameter [mm]** | |
| **Installation depth [mm]** | |
| **Connector** | |
| **Mating connector** | |
| **Reverse polarity protection** | 0 |



Bei der Pulvermühle 7a | 22453 Hamburg
+49 40 303300-0 | info@jfuehr.com | www.jfuehr.com

J.FÜHR

**Part no. RM-328-10383**

## Others

| | |
|---|---|
| **Material (Housing)** | |
| **Material (Diffusing lens)** | |
| **Color (Housing)** | |
| **Color (Mount)** | |
| **Color (Diffusing lens)** | |

## Variants

| | |
|---|---|
| **RM-325-10375** | für Montageschienen von 0,64-1,42 cm, 1-Zoll-Kugel (Größe B) |
| **RM-327-10354** | für Montage-Schienen von 0,64-1,42 cm, 1-Zoll-Kugel (Größe B) RAP-B-354U-TRA1 |
| **RM-328-10383** | für Montage-Schienen von 0,64-1,42 cm, 1"-Kugel (Größe B) RAP-B-383U |

## Accessories



Bei der Pulvermühle 7a | 22453 Hamburg
+49 40 303300-0 | info@jfuehr.com | www.jfuehr.com

J. FÜHR