

**Part no. RM-531-102**

45.7 cm (18 in.), for spline posts adapter to 1 in. ball



## Specifications

<b>Voltage range (V), nominal</b>	
<b>Voltage range (V), functional</b>	
<b>Power consumption (W)</b>	
<b>Load capacity</b>	
<b>Temperature range (°C)</b>	
<b>Brightness</b>	
<b>Brightness (raw lm)</b>	
<b>Brightness (effective lm)</b>	
<b>Brightness (cd)</b>	
<b>Brightness (lx)</b>	
<b>Performance class</b>	
<b>Beam pattern/lens</b>	
<b>Beam angle [°]</b>	
<b>Colour Temperature (K)</b>	
<b>Others</b>	
<b>Ingress protection</b>	
<b>Resistivity</b>	

**Part no. RM-531-10200**

## Dimensions

## Mounting

<b>Mounting type</b>	
<b>Installation dimensions/diameter [mm]</b>	
<b>Installation depth [mm]</b>	
<b>Connector</b>	
<b>Mating connector</b>	
<b>Reverse polarity protection</b>	0

**Part no. RM-531-10200**

## Others

Material (Housing)	
Material (Diffusing lens)	
Color (Housing)	
Color (Mount)	
Color (Diffusing lens)	

## Variants

RM-531-10200	45,7 cm (18 Zoll), verzahnte Kupplung auf 1-Zoll-Kugel RAP-B-200-1-114P-18U
RM-536-00200	60,9 cm (24 Zoll), 1 Zoll auf 1,5 Zoll RAP-BC-200-1-24U

## Accessories