

X-Grip-Set für Smartphones, 1 Zoll

Part no. RM-642-10166



for Smartphones up to 114.3 mm width, 1 in. ball (size B), with double socket arm, 7.6 cm, with suction cup, 8.4 cm (3.3 in.)

Specifications

Voltage range (V), nominal	
Voltage range (V), functional	
Power consumption (W)	
Load capacity	
Temperature range (°C)	
Brightness	
Brightness (raw lm)	
Brightness (effective lm)	
Brightness (cd)	
Brightness (lx)	
Performance class	
Beam pattern/lens	
Beam angle [°]	
Colour Temperature (K)	
Others	
Ingress protection	
Resistivity	

Part no. RM-642-10166

Dimensions

Mounting

Mounting type	
Installation dimensions/diameter [mm]	
Installation depth [mm]	
Connector	
Mating connector	
Reverse polarity protection	0

X-Grip-Set für Smartphones, 1 Zoll

Part no. **RM-642-10166**

Others

Material (Housing)	
Material (Diffusing lens)	
Color (Housing)	
Color (Mount)	
Color (Diffusing lens)	

Variants

RM-620-10102	für 3-4-Zoll-Handy, mit rautenförmige Basis, 6,2x3,3 cm, 1-Zoll-Kugel (Größe B), mit Verbindungsstück 7,6 cm (3,7 Zoll) RAM-B-102-UN7U
RM-642-10166	für Smartphones bis 114,3 mm Breite, 1-Zoll-Kugel (Größe B), mit Verbindungsstück, 7,6 cm, mit Saugnapf-Basis, 8,4 cm (3,3 Zoll) RAM-B-166-UN10U
RM-643-10408	X-Grip®, für 3-4-Zoll-Handys, 1"-Kugel (Größe B), mit Verbindungsstück, 6 cm, mit Bügelbasis 9,5-15,8 mm) RAM-B-408-37-62-A-UN7U
RM-644-10408	X-Grip®, für 3-4-Zoll-Handys, 1"-Kugel (Größe B), mit Verbindungsstück, 7,6 cm, mit Bügelbasis 9,5-15,8 mm) RAM-B-408-37-62-UN7U

Accessories