

**Part no. TL-1270-21411**




12-24 V, stop and tail light, red, ECE road approval (Reg. 7), polycarbonate

## Specifications

<b>Voltage range (V), nominal</b>	12-24
<b>Voltage range (V), functional</b>	
<b>Power consumption (W)</b>	0,36-0,48 (Schlussl.), 1,2 (Bremsl.)
<b>Load capacity</b>	
<b>Temperature range (°C)</b>	-40 bis 65
<b>Brightness</b>	
<b>Brightness (raw lm)</b>	
<b>Brightness (effective lm)</b>	
<b>Brightness (cd)</b>	
<b>Brightness (lx)</b>	
<b>Performance class</b>	
<b>Beam pattern/lens</b>	Schluss- und Bremslicht
<b>Beam angle [°]</b>	
<b>Colour Temperature (K)</b>	
<b>Others</b>	
<b>Ingress protection</b>	IP67
<b>Resistivity</b>	

Part no. TL-1270-21411

## Dimensions



## Mounting

<b>Mounting type</b>	Flachmontage (mit Kabeldurchführung)
<b>Installation dimensions/diameter [mm]</b>	72,5
<b>Installation depth [mm]</b>	
<b>Connector</b>	Kabel
<b>Mating connector</b>	
<b>Reverse polarity protection</b>	1
<b>Black wire</b>	Masse
<b>Red wire</b>	Bremslicht
<b>White wire</b>	Schlusslicht

**Part no. TL-1270-21411**

## Others

<b>Material (Housing)</b>	Polycarbonat
<b>Material (Diffusing lens)</b>	Polycarbonat
<b>Color (Housing)</b>	Schwarz
<b>Color (Mount)</b>	
<b>Color (Diffusing lens)</b>	Rot

## Variants

<b>TL-1266-21421</b>	12-24 V, Rückfahrscheinwerfer, weiß, ECE-Straßenzulassung (Reg. 23)
<b>TL-1270-21411</b>	12-24 V, Brems- und Schlusslicht, rot, ECE-Straßenzulassung (Reg. 7)

## Accessories