

LED-Fahrtrichtungsanzeiger Modell 206

Part no. TL-972-12206



12-24 V, amber, with guard

Specifications

Voltage range (V), nominal	12-24
Voltage range (V), functional	
Power consumption (W)	6,41-6,9
Load capacity	
Temperature range (°C)	-40 bis 65
Brightness	
Brightness (raw lm)	
Brightness (effective lm)	
Brightness (cd)	
Brightness (lx)	
Brightness (reference index)	
Performance class	
Beam pattern/lens	Fahrtrichtungsanzeiger
Beam angle [°]	
Colour Temperature (K)	
Others	
Ingress protection	IP67
Resistivity	
Standards	SAE (J974), ASABE (279)
Electromagnetic Compatibility	
Transient spike protection	

Dimensions

Mounting

Mounting type	5/16"
Installation dimensions/diameter [mm]	
Installation depth [mm]	
Connector	Kabel
Mating connector	
Reverse polarity protection	1
Socket	

LED-Fahrtrichtungsanzeiger Modell 206

Part no. TL-972-12206

Others

Material (Housing)	Polycarbonat
Material (Diffusing lens)	Polycarbonat
Color (Housing)	Schwarz
Color (Mount)	
Color (Diffusing lens)	Orange

Beam pattern

Variants

TL-972-12206	12-24 V, orange, mit Schutzring
--------------	---------------------------------

Accessories