

Part no. ZU-2275-26471






for model 260 and model 905, ECE variant

Specifications

|                               |  |
|-------------------------------|--|
| Voltage range (V), nominal    |  |
| Voltage range (V), functional |  |
| Power consumption (W)         |  |
| Load capacity                 |  |
| Temperature range (°C)        |  |
| Brightness                    |  |
| Brightness (raw lm)           |  |
| Brightness (effective lm)     |  |
| Brightness (cd)               |  |
| Brightness (lx)               |  |
| Performance class             |  |
| Beam pattern/lens             |  |
| Beam angle [°]                |  |
| Colour Temperature (K)        |  |
| Others                        |  |
| Ingress protection            |  |
| Resistivity                   |  |

**Part no. ZU-2275-26471**

## Dimensions



## Mounting

|                                       |   |
|---------------------------------------|---|
| Mounting type                         |   |
| Installation dimensions/diameter [mm] |   |
| Installation depth [mm]               |   |
| Connector                             |   |
| Mating connector                      |   |
| Reverse polarity protection           | 0 |

**Part no. ZU-2275-26471**

## Others

|                           |  |
|---------------------------|--|
| Material (Housing)        |  |
| Material (Diffusing lens) |  |
| Color (Housing)           |  |
| Color (Mount)             |  |
| Color (Diffusing lens)    |  |

## Variants

|                      |                                                            |
|----------------------|------------------------------------------------------------|
| <b>ZU-2275-26471</b> | für Modell 260 und Modell 905, Aufbaumontage, ECE-Variante |
| <b>ZU-2276-26471</b> | für Modell 260 und Modell 905, Einbaumontage, ECE-Variante |

## Accessories

|                      |                                                                                                                                      |
|----------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| <b>TL-2262-26411</b> | Modell 260 12-24 V, Brems- und Schlusslicht, mit Fahrtrichtungsanzeiger, Nebelschlussleuchte und Rückfahrlicht, ECE-Straßenzulassung |
| <b>AS-2278-90111</b> | Modell 905 12 V, Geländeausleuchtung, Rückfahrlicht                                                                                  |
| <b>AS-2277-90111</b> | Modell 905 12-24 V, Geländeausleuchtung, mit Streulinse                                                                              |
| <b>AS-2263-90111</b> | Modell 905 12-24 V, Geländeausleuchtung                                                                                              |
| <b>PL-2318-26451</b> | Modell 260 12-24 V, Positionsleuchte und Fahrtrichtungsanzeiger, gelb                                                                |
| <b>ZU-2276-26471</b> | Montagehalter 260 / 905 für Modell 260 und Modell 905, Einbaumontage, ECE-Variante                                                   |