


Part no. ZU-2276-26471




for model 260 and model 905, ECE variant

Specifications

Voltage range (V), nominal	
Voltage range (V), functional	
Power consumption (W)	
Load capacity	
Temperature range (°C)	
Brightness	
Brightness (raw lm)	
Brightness (effective lm)	
Brightness (cd)	
Brightness (lx)	
Performance class	
Beam pattern/lens	
Beam angle [°]	
Colour Temperature (K)	
Others	
Ingress protection	
Resistivity	
Standards	
Electromagnetic Compatibility	
Transient spike protection	

Part no. ZU-2276-26471

Dimensions



Mounting

Mounting type	
Installation dimensions/diameter [mm]	
Installation depth [mm]	
Connector	
Mating connector	
Reverse polarity protection	0

Part no. ZU-2276-26471

Others

Material (Housing)	ABS-Kunststoff
Material (Diffusing lens)	
Color (Housing)	
Color (Mount)	
Color (Diffusing lens)	

Beam pattern

Variants

ZU-2276-26471	für Modell 260 und Modell 905, Einbaumontage, ECE-Variante
----------------------	--

Accessories

TL-2262-26411	Modell 260 12-24 V, Brems- und Schlusslicht, mit Fahrtrichtungsanzeiger, Nebelschlussleuchte und Rückfahrlicht, ECE-Straßenzulassung
AS-2278-90111	Modell 905 12 V, Geländeausleuchtung, Rückfahrlicht
AS-2277-90111	Modell 905 12-24 V, Geländeausleuchtung, mit Streulinse
AS-2263-90111	Modell 905 12-24 V, Geländeausleuchtung
ZU-2275-26471	Montagehalter 260 / 905 für Modell 260 und Modell 905, Aufbaumontage, ECE-Variante